

LEONARDI PLUKENETJ.

PHYTOGRAPHIA.

Sive


*Stipium Illustrorum. & minus cognitarum
ICONES.*

TABULIS ÆNEIS.

*Summâ diligentia elaboratæ;
Quarum unaquæq; Titulis descriptorijs
ex Notis Suis proprijs, & Characteristicis
desumptis. insignita; ab alijs ejusdem
Sortis facile discriminatur.*

PARS PRJOR.

MEMINISSE JUVABIT



Εμπειρον. είναι συμβδλω ισθόν ει διοντε
πάντων φυτων. Gal. de Anti dot. lib. 1. cap. 15.

LONDINI. MDCXCI.
SUMPTIBUS AUTORIS.

THE UNIVERSITY OF CHICAGO
LIBRARY

1917

1917

1917

1917

INCLYTO HEROI

atq.
3

ILLUSTRISSIMO DOMINO.

DOMINO

à BENTINGK.

COMITL^{de} PORTLANDIA. *Uc. UccUc.*

φιλὰς ἁνῶν PATRONO *longè Gratosissimo.*

LEONARDUS PLUKENÉTIUS

*Hortorum amenitates, ac adumbratam VEGETANTIS
ORBIS. Imaginem, Hisce TABULIS suis
PHYTOGRAPHICIS in altera Parte
contentis, exhibitam, summâ cum humilitate.*

Dat. Dicat. Dedicat.

T

T

TAB. LXXII




Fig. 1.

Fig. 2.

Tab. LXXII.

1. *Vicia multiflora* major angustifolia glabra, floribus oblongis, & albo & caeruleo mixtis. an *Vicia Onobrychidis* flore C.B.P.
 fortè *Vicia maritima multiflora alba Messanensis* Ray Hist. & Cat. Exter. fortè etiàm *Aracis minor* Lantanius Park.
Legumen pallidū Ulyssipponense Nony. Bräudon. Ger. emac. app.

2. *Vicia multiflora* Casubica frutescens Lentis siliquâ Breyn. Prodr. 1. Cat. Hort. Ac. Lugd.

Fig. 1

2. *Vicia casubica*

1847

1847

1847

1847

1847

1847


1847

1847

1847


1847

1847




- LXXIII.
1. Absinthium Ponticum repens vel supinum C.B.P. Absinthii Ponticum supinum Herbariorum Obs. Lob. Absinth. repens Tab. Icon.
2. Absinth. Halepense uel folium grahi odoris comā deditiori. Absinth. Santonicum Arabicum P. Bobart. forte Sechia Arabicum. Absinthii genus circa Bethleem Rawolf. Hist. Lugd. app. Nat. pulcherrima Absinthii species, cum plurimis alijs novis et illustrioribus Plantis quas summa diligentia deinde fide peragrationibus per totam fere Europam, ubi conquisivit Ornatisimus vir, et hujus Botanicæ Scientiæ veri Ornamentum D. Gulielm. Sherard. nos dilavit.
3. Acacia spinosa foliis perexiguis, v. debilibus, crispatis. Maderæ palana, forte Fructu folijs Acacia Mesopotamica; Fab. Col. Nol. in Recch. Acacia similis Mesopotamica minutissimis folijs, siliqua integrâ contorta, et alia, et obtusa, s. Siliqua Nabathæa Breyn. Prodr. 2.
4. Acacia affinis virginiana spinosa, siliqua membranacea planâ, floribus; albis, papilionas. Anagyris modo in Uocam prope dentibus. Acacia virginiana siliquis glabris Ray Hist. Arbor. siliquis virginicis spinosa, genus Nostro ab his dicta Rayk. Anagyris Americ. spinosa floribus albis odoratis P.B.P. siliqua Laburnum odorat. Caradæus folio Coluteæ ejusd. P.B.P. Laburnum spinosum Maderæ palana folijs Glycyrrhizæ a flore albo Breyn. Prodr. 1. Glycyrrhizæ siliquis maius Glycyrrhizæ affinis spinosa, arborescens Mauritanica Laburni flore albo ejusd. Br. Prodr. 2. lili. a. siliquam indigitat.
5. Adiantum et chinum Rutenuraria armulorum pinnulis oblongis angustis in summitate bipartitis, ad. Pardo habuimus.
6. Adiant. maritimum segmentis rotundioribus, Sch. Bol. Adiant. mas Tab. Ic. C.B.P. ubi plane fatetur, quid sit hoc Adiantii genus, se nondum assequi, Serenid. Angliæ nostræ adjacentis Insula alumna est, ut candidè nos monuit. D. Sherard.
7. Alcea an Malva potius et otia, Pentaphylli folia profunde secta, purpurea, floribus sine pediculis.

- Fig. 1 Artemisia eupatoria 5
2 ————— aethiopica L. 6 Asplenium Trichomanes
3 ————— 7
4 Robinia Pseudo-acacia



TAB. LXXIV.



LXXIV. *Alcea Indica* frutescens in lacinias varie dissects. an *Alcea arborescens Japonica* folio *Lurcius*, flore pleno carneo, in medio roseo. Cl. Breyn.
 Prodr. 2. *Sarsangua* lapponensibus.
Albine Saxifraga Graminifolia, flosculis tetrapetalis herbicidis & muscoris, an *Saxifraga Anglica* annua *Alsine* folio D. Plot. Ray Hist. fort. etiam
Saxifraga graminea pusilla, folijs brevioribus & asiorib; & succulentioribus ejusd. Synops. Septentrionalibus Anglica nostr. a D. Lawson. observata.
Alsine Polygonoides folijs tenuissimis pergenicula binis ad summum caulium polyanthos. *Alsine Nodosa* multiflora, Sch. Bot. an nunquam satis
 laudato viro D. Sherard. habuimus.
Alsine palustris repens folijs lanceolatis floribus albis per exiguis. *Alsine palustris* exigua folijs lanceolatis, *Plantaginella* aquatica instar,
 flosculis albis bix conspicuis Mentz. pugil. *Plantago* aquat. minim. Clus. Hist. Park. *Plantaginella* palustris C.B.P.
Alsine aquatica major repens folijs agurundatis, Virginiana.
Althaea Indica Abutili cu. brotundo folio, flore luteo, spicato, fort. *Malva Americ.* Abutili folio, flore luteo spicato, folijs incanis P.B.P.
Althaea Scammonij folio, flosculis albis Zeylanica P.B.P. Wilaponghu & Wisaduli Zeylanensib; dicta in Hort. Regio. Hamptoniens. longe
 celeberrimo. conspicimus, & in Horto Comptoniano collegimus.
Althaea Americana frutescens, *Melochia* folijs angustiorib; an *Malva frutes.* *Melochia* angusto folio, florib; albis fasciculatim congestis P.B.P. inter
 Addenda. an *Syeru-Uren* Hort. Malab. F. 9.

Urena sinuata

Sagina procumbens

Limnoscilla aquatica

5 *Oldenlandia uniflora*

6 *Malva gangatica*

7 *Sida periploicifolia*


8 *Corchorus*



Tab. LXXV
1. Alcea
2. Alsin
3. Alsin
4. Alsin
5. Alsin
6. Altha
7. Altha
8. Altha

2
3
4

TAB. LXXIV.



1. *Alcea Indica* frutescens in lacinias varie dissectis, an *Alcea arborescens Japonica* folio *Zuccus*, flore pleno carneo, in medio roseo. Cl. Breyn.
 Prodr. 2. *Sarsangua lapponensis*.
 2. *Alcine Saxifraga Gramini* folia, flosculis tetrapetalis herbiculis muscoris, an *Saxifraga Anglica* annua *Alcine* folio D. Plot. Ray Hist. forte etiam
Saxifraga graminea pusilla folijs brevioribus arafiorib; & succulentioribus ejusd. Synops. Septentrionalibus Anglica nostra a D. Lawson. observata.
 3. *Alcine Polygonoides* folijs tenuissimis per genicula binis ad summum caulem polyanthos. *Alcine Nodosa* multiflora Sch. Bot. a nunquam satis
 laudato viro D. Sherard habuimus.
 4. *Alcine palustris* repens folijs lanceolatis floribus albis per exiguas. *Alcine palustris* exiguas folijs lanceolatis, *Plantaginella aquatica* instar,
 flosculis albis bix conspicuis Merit. pugil. *Plantago aquat. minim.* Clus. Hist. Park. *Plantaginella palustris* C. B. P.
 5. *Alcine aquatica* major repens folijs acuminatis Virginiana.
 6. *Althaea Indica* *Abutili* subrotundo folio, flore luteo, spicato, forte *Malva Americ.* *Abutili* folio, flore luteo spicato folijs incanis P. B. P.
 7. *Althaea Scammonij* folio, flosculis albis Zeylanica P. B. P. *Nilaponghu* *Wipadulu* Zeylanensib; dicta in Hort. Regio. Harriptoniens. longe
 celeberrimo, conspicimus, & in Horto Comptoniano collegimus.
 8. *Althaea Americana* frutescens, *Melochia* folijs angustiorib; an *Malva frutesc.* *Melochia* angusto folio, florib; albis fasciculatim congestis P. B. P. inter
 Addend. an *Tsjer u- Uren.* Hort. Malab. P. 9.

1 *Urena sinuata*
 2 *Sagina procumbens*
 3 *Simosella aquatica*


5 *Oldenlandia uniflora*
 6 *Malva gangetia*
 7 *Sida periploiciifolia*
 8 *Cochlosorus*

Tab. L.
1. A.
2. A.
3. A.
4. A.
5. A.
6. A.
7. A.
8. A.
9. A.

2

3

4



- Tab. LXXV.
 1. *Alsine montana* apillaceo folio. C. B. P. Park. an *Alpina Saxifraga angustifolia*, *minima montana* Col. ephr. quae parum differt ab *Alsine tenui*.
 2. *Alsine Caryophylloides* angustifolia, multiflora, glabra, purpurascens, radice *Astragaliti*, an *Caryophyllus sylvestris*, repens, multiflorus. C. B. P. mid.
 3. *Alsine Polygonoides tenuifolia* flosculis ad longitudinem caulis veluti inspicam dispositis nostr. a. B. ay. Synops. Polygonum angustifolium gramineo folio.
 4. *Alsine Polygonoides herbacea* minor *Lavris* folijs capillaceis, uno pediculo plurimis. a. D. Sherard. habui.
 5. *Alsine Alpina* glabra foliis reflexis. an *Saxifraga Bavarica* Park. ejusd. D. Sherard. humanitate accepi.
 6. *Alsine Spermophylla* flosculis angustis ad gemula binis, flosculis autem plurimis, ad caulem radiatis, semine minutissimo fulvo.
 7. *Alsine Americana* Nummularia folijs Park. B. ay. Prodr. ab eodem D. Sherard. communicata.
 8. *Amaranthus Indicus* verticillatus albus, Origani folijs lanugine incanis. an *Amaranthus Alopecuroides* Indicus herbaceus *Atriplicis* folio. Breyer.
 9. *Amaranthoides humilis* Curassavicum folijs Cepaea lucidis, capitulis albis P. B. ay. Prodr. 2. Trifolij spica frithum maritimum non spinosum. Brasiliense Ray.
 Hist. Perperil. do Mar. Lusitania. s. Laoponga. 1. Brasiliensium Pisoni. Hist.


1 *Moehringia muscosa*
 2 *Gypsophila prostrata*
 3 *Bufonia tenuifolia*
 4 *Arenaria loricifolia*

5 *Lichenis quadridentata*
 6 *Mollugo oppositifolia*
 7 *Helianthus scaberrimus*
 8 *Stachys lanata* L. f. B.
 9 *Stachys vermiculata*

Tabl
1.
2.
3.
4.
5.
6.

July

TAB. LXXVI.



- Tab. LXXVI.
 1. *Angelica Charibbarum* elatior. Olusatris folia flore albo, seminibus striatis, Cumini odore & sapore.
 2. *Anchusa repens* Lithospermij facie, floribus caeruleis secundum folia prorumpentibus. Lithospermum divigatum Thaly. Hærcyn. Lithosp. maj. repens latifolium C.B.P. Lithosp. majus Dodonæi fl. purpur. semine Anchusæ I.B. Hist. 3. l. 33. p. 592. ubi non minus felicitè exculplapè errorem ad pag. 692. transposita est.
 3. *Anchusa* id generis facie India Orientalis. herba quadricapsularis.
 4. *Anonis* purpurea procumbens berna. s. præcox, fruticosa, annua, baccosa, siliquis crassis, lentiformibus, variis dispositis. Hist. 2. sorte Anonis Hispanica frutescens, foliis Ciceris sylvestris triphylli Sch. Bot. Anonis annua variosa folijs rotundis serratis Cat. Hort. Edinburg.
 5. *Apocynum hirsutum*, scandens, Americanum flore ampla purpureo, an *Apocynum* scandens Africanum hirsutum P.B.P. 2. Spectatissimi Viri D. Fosteri Horto plurimam Plantarum ex oticorum instructissimo Lambethæ ad Austrum sita florentem vidimus habuimus.
 6. *Apocynum* Guajacivum fibrosa radice floribus aurantijs Chamænerij folijs angustioribus P.B.P. an *Apocyn.* erget. minimum angustif. Americ. flore umbellata aur. antio. petalis reflexis Breyn. Prod. 2. sed nostri florum petala non reflexa sunt, sed potius inflectuntur & ita disposita ut flosculum concavum efforment.

1. *Cicuta maculata* 4
 2
 5 *Cynanchum hirtum*
 3 *Borago indurca* 6

8491

Tab. IXCV
1. Apoc
2. Arbor
3. Arbor
4. Arbor
5. Arum
6. Arum

Fig.




Fig. 3.

Fig. 1.

Fig. 5.

Fig. 6.

Fig. 4.


Fig. 2.

Tab. LXXVII.
 1. Apocynum American. erectum, tuberosa radice non ineanum, folijs rigidioribus, latius subrotundis, florib; alb. intus purpureis summo cauli
 Corymbum magnum efformantibus. an Apocyn. Americ. arborescens folijs rigidis, subrotundis, amplissimis. P. B. P. forte Apocynum
 erectum non rampsum, latiore folio, Umbellis florum albiis, antibus Bauister. Cat. Stirp. Virg.
 2. Arbor Americana Morifolia, vasculo seminali verrucosa Coni annulo. ovali, Balsamum olente. Cedrus spuria Jamaicensis; nostratibus dicta.
 3. Arbor Orientalis Bellidis spinosa solidioribus; folijs, capulis parvis quadripartitis. Kiluke Cingalensis; dicta hujus Specimen exsiccatum Insigni Botanico D. Tanredo Robinson. debemus.
 4. Arbor Americana triphylla, fructu Platani quodammodo annulante. Lignum fibularium (ie) Bullonwood. Nostratibus dicta.
 5. Arum triphyllum minus penguat rubente Virginianum. Arisarum triphyllum minus pene atro rubente Bauister.
 6. Arum Ml. chatum Ophioglossoid. s. penenudo Jamaicense. an melius Ophioglossum Moschatum Jamaicense Limonij folijs, in extremo
 Sinuatis. an Arisarum fluitans penenudo Virginianum. Bauist. Cat. Msc.

Fig. 1. *Asclepias variegata* 4 *Cephalanth: occidentalis*
 2 *Theobroma Guazuma* 5 *Arum atrorubens*


B¹ L

TAB. I. XXVIII.




1. *Aristolochia polyrrhiza*, os auriculatis folijs, Virginiana, forte *Polyrrhiza* Virginiana Park *Serpentaria* altera Virginiana bulgō.
 2. *Asarum Virginianum*, *Pistolochia* folijs subrotundis Cyclaminum more maculatis, *Asarum Cyclaminifolium* Virginiana, B. Anst. C. & M.
 3. *Asparagus decussatus* triplicis spinæ Plom. Bon. Spei; an *Asparagus sylvestris spinosa* Africana C. & H. Hort. Apul. ubique in Hort. Reg. Hamptoniensis
 4. *Aster luteus* Cist. hirsutis, utrenatis folijs summo caule amaro, floribus amplis, an *Herba Vulneraria*, ad fluvium Pfrim. Hic only Tragi. Conyza
 affinis Germanica C. B. P. *Consolida*, *Saracenica* 3. Tragi. Hist. Lugd. Conyza affinis, *Herba Vulneraria*, s. *Solidago*, *Saracenica* 3.
 Trago hirsuta I. B. Hist. 1. 2. hujus exemplar nobis amicitissime donavit D. Doody, qui ipse inter Siccas exoticas, &
 quæ plurimas varietates Plantas, in Horto Potavino jam dudum collectas, in Charlis a servatas, quas tibi impetravit.
 5. *Aster Americanus* *Belvidere* folijs floribus ex cæruleo. albicantibus, spici longioribus, an *Aster Nova Anglia* *Tripolij* floribus spici longis dispositis P. B. P.
 6. *Aster Americanus*, multiflorus, flore albo *Belidis*, disco luteo D. de Flinck. Sch. Bot.

Fig. 1 *Aristolochia serpentaria* 4 *Trifolia hirta*
 2 *Asarum virginicum* 5 *Aster tenuifolius*
 3 *Asparagus capensis* 6 *Aster dumosus*



TAB. LXXIX.



TAB. LXXIX.
 1. Aster Americanus albus latifolius caule ad summum brachyato, si color florum, & foliorum conjugataposita non obstarent, hanc Flala: *iglosochilli* Nov. Hisp. Reech. eandem plantam esse suspicamur.
 2. Aster Americanus albus Mezer. et Avabum exasperatis folijs, florum petalis reflexis.
 3. Astragalus annuus folijs & siliquis hirsutis, plurimis in foliorum alis sessilibus. Astrag. siliq. folijs hirsutis floribus parvis Moris. Hist. 2. Fenu. *graco sylvestri* Tragi in quibusdam accedens Planta 1 B. Hist. 1. 2. Astragalus maritimus Botani Park. Vicia Saramacca Apula Col. cephr.
 4. Astragalus hirsutus corniculis plurimis uno pediculo stelliformiter adaptis. Ornithopodio affinis hirsuta fructu stellato C.B.P. Stella leguminosa 1 B. Hist. 1. 2. murex Ornithopodii Viri D. Patricij. Adair atropimus.
 5. Astragalus Pyramidalis in caulis folijs Vicia flore sulphureo. Sch. Bot.
 6. Auricula Ursi Virginiana floribus albis Borraginis instar rostratis. Cyclaminum more reflexis. à Celebratissimo Botanico D. Baister. in Angliam nuper imetransmissa.


Fig. 1 Aster. divaricatus 4. Astragalus Stella.
 2 Conyza linifolia 5
 3 Astragalus sesameus 6 Dodecatheon meadia



Tabl.
1.1
2.1
3.1
4.2
5.1
6.4
7.1

Fig.

TAB. LXXX.




- Tab. LXXX.
 1. Balsaminum Capiviense Antegonium & Nevisense foliis s. Arbuscula Americana Balloteolens Scammonea folijs punctatis ferruginea lanugine
 2. Brasica spuria caulis non laevigata caule magis folioso hirsutior, folijs subrotundis. Brasica spuria minima, caule magis folioso hirsutior nostra.
 3. Brunella Myrsinifolia C.B.P. Brunella minor folio rigido, integro, quod d. Phytol. Prunella angustifolia IB.
 4. Bugula non crenatolomentosa Suetica seminibus albis. Munera doctiss. viri & Divini Verbi Prædicatoris apud Londinenses Reverendiss. D. G. Stonestreet. proventus
 novum hoc Bugula genus accepimus.
 5. Buxus Africana rotundifolia serrata P.B. in Horto Regio Hamptoniens. collegimus.
 6. Quercus Americana folijs accedens Americana
 7. Carduus marianus aqua Americana flore argenteo. Conurus Americana alba folio sideritidis longiore & seminibus natam superiori anno in Horto
 complomentans eduximus.

Fig. 1. Balsaminum Capiviense
 2. Arabis thaliana
 3. Prunella myrsinifolia
 4.
 5. Myrsine africana
 6.
 7.

B. 2. L.

Tab. LXV
1. Card
2. Card
3. Card
4. Card
5. Card

TAB. LXXXI.



- Tab. LXXXI.
 1. *Cassia lignea* Jamaicensis, cortice aeri candicante. *Canella alba* Clus. *Laurifolia* Magellanica cortice aeri C.B.P. *Cortex Winteranus* aeri s.
Canella alba I.B. an *Ligni aromatici* *Monardis* cortex.
 2. *Carduus Tingitanius*, flore magno, caeruleo, folio *Altr. actylidis* divisura subtilius incano, spinis durioribus horrido.
 3. *Caryophyllus sylvestris* *Alsin. holostea* arvensis glabra folijs flore unico. Calyce barbato. *Armor. asperis* flore summo caule singulari nostra Raj. *Synops. app. forte*
Caryophyllus sylvestr. humilis flore unico C.B.P. an *Lychnis Meisanensis* parvo flore rubello, & Calyce oblongo angusto Raj. cat. *Exterav.*
 4. *Centaurium ciliare* minus. *Bisnagarium* *Origani* folijs amplioribus, floribus in Umbellis.
 5. *Chamaedryfolia*, *Standens* claviculato & *Corymbifera* Jamaicensis. huc forte pertinet *Bryonoidea* s. *Ternant-Yauctepensis* Mexicenisibus Hernandez.

1 *Canella cinamomea*4 *Ageratum ciliare*2 *Cynara humilis*

5


8

1851

APPENDIX

ad Rariorum Plantarum Icones

LEONARDI PLUKENETJ.

 Propter Literarij Sculptoris incuriam, aut saltem
nostram in hoc opere properantiam contigit,
Iconem Tab. 82. Fig. 5. adscriptam, absq;
titulo exhiberi; hujus ergò Synonyma hic
subnectere lubet, ut suo loco reponantur. Viz.

5. Cerasa Hottentottorum; Lycium Africanum fructu
Cerasi rubro. Parad. Batav. Prodr. 349. Rhamnus
Africana Cerasi fructu ejusd. P. B. P. 369

ALPHA

ALPHA

Jos: Banks


ALPHA

ALPHA

2. C
3. C
4. C

Fig

TAB. LXXXII.




- Tab. LXXXII.
 1. *Dalrymplea montana* minor *Tanacetum* folijs *Moriz.* Præclud. *Tanacetum* montanum. in odoru, minori flore C.B.P. *Tanacetum album* L.B. Hist. L. 3.
Tanacetum inodorum secund. *Clus.* Hist.
 2. *Centaurium ciliare* minus, *Civica* folijs firmitioribus, spicatis floribus & *Madera* spatul.
 3. *Ceratia* diphylla *Antegona* *R.* ius majoris fructu ossea siliqua grandi in cluso. Arbor siliquosa ex *Virginia* lobo fuscoscabro C.B.P. item Arbor siliquosa ex qua Gummi *Anime* elisitur, ejusd. C.B.P. *Tetaiba* arbor Gummi *Anime* fundens *Pison.* *Alasia* quodammodo accedens. Arbor *Anime* Gummi fundens *Americana* folijs magnis, acuminatis in pediculis binis. Lobo magno crassissima. eduli *Br. syn. Prodr.* 2. *Animifera* arbor *Brasiliana* P.B.P. hujus siliqua est Lobo ille ex *Wigandera* on, de qua *Clusius*, in exot. *Locus* *Nostratib.* vulgo aa. Lobo. bb. bb. fructum indicant.
 4. *Ceratia* quodammodo affinis *Bengalensis* folijs bigemellis subrotundis, siliquis admodum involutis in arboris circumflexis, ex minio nigricantibus fructu rubro, macula nigra insignito. an *Avaramo-Temo* *Brasilensibus* *Pison* 2 a. siliquam b. fructum indignant. in *Horto Compteniano* exultantem vidimus.

vide pag. antec.

2 *Achyranthes lappacea*5 *Celastrus buxifolius* var. *mermis*3 *Hymenaea Courbaril*





Tab. LXXXIII. 1. *Chrysanthemum minus* Alpium. 2. *Chrysanthemum* *virginianum*. 3. *Chrysanthemum* *virginianum*. 4. *Chrysanthemum* *virginianum*. 5. *Chrysanthemum* *virginianum*. 6. *Chrysanthemum* *virginianum*.

- 1
- 2
- 3 *Polymnia urcedalia*
- 4 *Chrysogonum virginianum*
- 5 *Coreopsis auriculata*
- 6 *Bistorta calycinus*

B L


Alm

Fig

Table
1. Alm
2. Alm
3. Alm
4. Alm
5. Alm
6. Alm
7. Alm
8. Alm


Fig
1
2
3
4
5

TAB. LXXXIV.



Tab. LXXXIV.
 1. *Alcea frutescens* lacinias variegatis, an *Alcea arborescens* Japonica folio *Lurcius*, flore pleno carnea, in medio roseo. Cl. Breyn.
 Prodr. 2. *Saxifraga lapponensis*.
 2. *Alcine Saxifraga* *graminifolia*, flosculis tetrapetalis herbiculis muscoris, an *Saxifraga Anglica* annua *Alcine* folio D. Plot. Ray Hist. fortis di am
Saxifraga graminea pulchra folijs brevioribus, asiorib; & succulentioribus ejusd. Synops. Septentrionalibus Angliae nostrae ad *Lancaster* charact.
 3. *Alcine Polygonoides* folijs tenuissimis, gemmula bini ad summum caulem polyanthos. *Alcine Nodosa* multiflora, Sch. Bol. a nunquam satis
 laudato viro D. Sherar d. habuimus.
 4. *Alcine palustris* repens folijs lanceolatis floribus albis, exiguis. *Alcine palustris* exigua folijs lanceolatis, *Plantaginella aquatica* instar,
 flosculis albis viz conspicuis Mente, pugil. *Plantago* aequat. minim. Clus. Hist. Park. *Plantaginella palustris* C.B.P.
 5. *Alcine aqualica* major repens, folijs acuminatis, Virginiana.
 6. *Althaea Indica* *Abutilum* subrotundo folio, flore luteo, spicato, forte *Malva Americ.* *Abutilum* folio, flore luteo spicato, folijs incanis P.B.P.
 7. *Althaea* *Stammonij* folio, flosculis albis Zeylanica P.B.P. *Nilayonanghu* *Wissadula* Zeylanensis; dicta in Hort. Leggo. *Hamptoniensis* long.
 8. *Althaea Americana* frutescens, *Melochia* folijs angustiorib; an *Malva frutesc.* *Melochia* angusto folio, florib; albis fasciculatim congestis P.B. Printer
 Addend. an *Speru-Uron*. Hort. Malab. P. 9.

6. *Cistus lappaceus*
 7. *Althaea alpina*
 8. *Satureja graeca*
 9. *Conferva capillaris*



Tab. 1
1.1
2.4
3.6
4.8
5.6
6.8

2

3



1. Cyl
2. Cyl
3. Dor
4. Flab
5. Cyl
6. Cyl
7. Cyl
8. Cyl


Fig. 1

2

3

4

TAB. LXXXVI.



1. *Cytisus foliis viridib; angustis quasi complicatis* Monspelienis C.B.P.
 2. *Cytisus procumbens Americanus fl. luteo ramosissimus* Angl. cuppeditat apud Barb adensium colonos. Chama Indigo sylv.
 3. *Doronicus affinis longifolia* Ray Hist. *Tussilago Alpina* folio longo L.B. Hist. t. 3. *Tussilago Alpina* folio oblongo C.B.P. *Doronicum Pyrenaicum* Pers. *foliis glabrum* Schol. Boiss. ubi pro non destript. ponitur.
 4. *Elahinis folio pilosissimo papilionaceo flore* Maderaspata.
 5. *Echiochryso affinis Orientalis foliis adgenicula binis flore pentapetaloide argenteo apicibus auris paleaceo.*
 6. *Echiochryso affinis Orientalis foliis adgenicula binis flore pentapetaloide argenteo apicibus auris paleaceo.*
 7. *Eruca sylvensis minor lutea Bursa pastoris folio* C. B. P. *Eruca pumila Bursa pastoris folio* Boiss. *Eruca Monensis laciniata lutea* Ray Hist.
 8. *Eruca Virginiana foliis majoris folio* Moris. Hist.


Fig. 1 *Spartium complicatum*2 *Sophora Tintoria*

3

4

5 *Achyranthes corymbosa*6 *Idem*7 *Brassica morensis*8 *Arabis canadensis*

LXXXVII
 Eupatoria
 Eupatoria
 maj
 H
 Eupatori
 Eup
 Eupatoria
 Laly
 Eupatori
 Herma
 Eupatori
 Crudi
 ut ea c




Eupatoria conyzoides Verticillata folia, s. Baccharis Americana suaveolens, Carduusylon (ie) Sweetwood, Barbadosibus dita.
Eupatoria conyzoides, odorata folio crenato, molli subincano. Serratula Novboracensis folio leviter crenato, molli subincano P.B.P. forte Serratula Indica
 major latifolia molli Breyne. Prod. 2. Jacq. v. Serratula affinis capitulis Baccharidis folijs Trachelij Leylanica ejusd. Prod. 1. Catlu-Schiragam
 Hort. Malab. P. 2. folijs etiam Conyza Syria Rayolfij. Hist. Lugd. app.
Eupatorium Americanum, Melissa folijs magis acuminatis, an Eupatorium Novd Angliae Stachidis. Betonica folijs crenatis florib; albis P.B.P. forte etiam
Eupatorium Americanum, Nepeta folijs ovatis floribus albis breviorib; Breyne. Prod. 2.
Eupatoria conyzoides maxima, Canadensis folijs caulibus amplexantibus Conyza major, alato caule folijs Primulae veris longe amplioribus, graviter odoratis.
 L. & L. Triumfetti apud Extraxit, an quida autem latissima folio, Canadensis glabra Schol. Botag.
Eupatoria conyzoides, integrum Jacobae folio glabro, duriuscula Indica Orientalis, forte Jacca v. Serratula affinis Breyne. Cat. H. Ac. Lugd. app. hanc enim Cl.
 Hermann; à Catty-Schiragam. Hort. Malab. non separati, cum revera sunt Plantae inter se admodum diversae sicut ex Iconibus nostris liquet palebit.
Eupatorium Virginianum, Solvia folijs longis, acuminatis perfoliatum. Hyssifolia longam mucronatam pinnam oppositam ad basin ita continua invicem,
 ut ea caulis transdigat, sinum quendam, seu caviletem pelsi aquae continendae similem efformant.

4 Conyza bipennis

5

2 Eupatoria cupatoricoides


6 Eupatorium perfoliatum



ALXXE
1. Lupa
2. Lupa
3. Lupa
4. Lupa
5. Lupa
6. Lupa


Fig.


AB. LXXXVIII.



AB. LXXXVIII.
 1. Eupatorium humile Africanum, Seneciois facie folijs Camij P.B.P. Senecio Africanus Camij folia Arad. Reg. Paris. Senecio Americanus Camij facie Schol.
 Botan. fortis virga aurea humilis Alpina Moris. Præ lud. fortis virga aurea folio Veronica Mentzelij. Fossie.
 2. Eupatorium hirsutum hispidifolium amula Virginiana, an Natchinog. Xochitl & America Mediana. Hernandez Hist. Mexic. p. 238. & 416.
 3. Eupatoria Valerianoides, Trisaginis folijs, absq. pediculis Americana.
 4. Eupatoria Valerianoides, Trisaginis folijs, absq. pediculis, Virginiana, Casalia folijs rotundioribus, ad caulem sessilibus Banister. Cat. M.S.
 an Nacozochil Nov. Hispania Reesk. p. 416.
 5. Evonymus Canella alba folijs Maderaspalan. D. Frederici Sleresfouere, ad exsiccandam accepimus.
 6. Evonymo affinis Arbor Orientalis nucifer a flore roseo. Syriacis Evonymo media affinis The Sincensium, sive Tjia Taponenibus flores simplicis.
 Breyn. Prod. 2. Thea frutex Bontij hujus flores munere D. Pattever accepit.

Fig. 1 Ageratum conyzoides 4 Eupatorium rotundifolium
 2 Eupatorium hispidifolium 5
 3 aromaticum 6 Thea Bohea





TAB. LXXXIX.
 1. *Adiantum farosianum* Arbuscula Buxi folijs spinosa flore luteo papilionaceo siliquis fero.
 2. *Filix saxatilis*, non variosa minima Ray. Cat. Exler ar ubi dubium movet an sit Dryopteris Dalechampi IB.
 3. *Filix saxatilis*, omnium minima elegantissima Cat. Hort. Reg. Paris.
 4. *Filix Alpina Myrrhoides* facie Cambroritannica an *Filicula fontana* Adianti facie latifolia dentata Schol. Botan.
 5. *Filicula pumila* *Lenchitis* Marantia species Cambroritannica, an *Lenchitis aspera* Itensis Hort. Lugd.
 6. *Filix parva* Cambroritannica pinnulis latis auriculatis, brevibus serrulatis, hastis novissime enumeratis Filices ab Invenitove D. Lloyd. accepit insignis Botanici D. Sherard. a cujus liber alitate vix habuit.
 7. *Filix minor* Africana *Lenchitis* foliis pinnulis auriculatis planis. *Filix Africana minor* *Lenchitis* facie P.B.P. in Hort. Regio. Hamptoniens. longè celeberrima l.
 8. *Filix Virginiana* pinnulis oblongis angustis, auriculatis, tenuissimis venatis, longè ab invicem distantibus non spinosa.
 9. *Filix folia* s. *Polypodium tenuifolium* minus Virginianum.
 10. *Fagi folijs* alterno positi alatis, Arbuscula Buxi agria.

Fig. 1
 2
 3
 4 *Polypodium cristatum*
 5 *Acerostichum ilvense*
 6
 7
 8
 9 *Acerostichum ferruginosum*
 10


09

1. Fumaria
2. Fumaria
3. Fumaria
4. Fumaria
5. Fumaria
6. Fumaria
7. Fumaria

Fig. 1

2

3



1. *Clitoria virginiana*, flore amplo caruleo. Securoidaca trifolia flore patulo caruleo, radice Glycyrrhizae sapore. Banister Cat. N. J.
 2. *Fumaria lutea*, radice fibrosa, pinnatis flore ex albo flavescente, siliquis curtis. an *Fumaria* semper binnata flore ex Hortis Balavis Cal. H. R. P.
 3. *Fumaria cuneolaria*, radice grumosa flore bicolori, ad labia conjuncto, Virginia. *Fumaria* siliques agrumosa radice flore gemello monstroso. Banister Cat. N. J. an *Fumaria Canadensis* radice tuberosa squammata Acad. Reg. Paris.
 4. *Fungus conopsea*, *Asclabium petraeum*, s. *Fungus minimus* petraeus orbiculata crustula compositus. D. Lloyd Ray Synops.
 5. *Galea degenii*, folio singulari floribus parvis horridis muscosis. *Galea unifolia* flore herbaceo Cal. Hort. Palav. Georg. a Turvè.
 6. *Gentiana Maderaspensis*, folijs *Asclepiadis* paulo amaro.

- Fig. 1. *Clitoria virginiana* 4
- 2. *Fumaria lutea* 5
- 3. *Fumaria cuneolaria* 6


Fig. 2

1. Genistella
2. Gramen
3. Gram.
4. Gram. G.
5. Gram. d.
6. Gram. p.
7. Gram. Cy.
8. Gram. Cy.

Fig. 1

2
3
4

TAB. XCI




1. Genistella Montis bentoni spinosa I.B. Hist. 1. Genistella Montis bentoni spinosa C.B. prodr.
 2. Gramen cyperoides exiguum seminibus bullatis Ray Obs. vol. 444. ex mente D. Sherard. qui nobis ad exculpand. dedit.
 3. Gram. Cyperoid. Americanum spicis speciosis plurimis compressis summo caule abscissis adnatis. an Gramen maritimum Cyperoid. Curaf.
 4. Gram. Cyperoid. Americanum spicis majoribus oblongo rotundis Sparqhanij in modum echinatis ad summo caulem pediculis longis innitentibus.
 5. Gram. dactylon Orientale majus frumentaceum semine Napi. Coracian Lingalensis D. Knox. Itiner. p. 11.
 6. Gram. parvum angustum spica gemella habitiori. an Gram. duva Xudogov. Col. ecphr. 338. hujus spicae Amerasii capitula squammata quo-
 7. dammodo exprimit.
 8. Gram. Cyperoid. folijs Caryophyllis spica granis rarioribus, humidioribus, conflat. Ray Synops.
 9. Gram. Cyperoid. tenuifolium spicis ad summum caulem sessilibus globularum armulis. Gr. Cypr. folijs mollioribus tenuibus spicis brevibus & acervatis tribus quatu-
 10. orve in summitate caulis. Ray Hist. folijs Gr. Cypr. minimum Ranunculii capitula rotunda D. Bobart. ejusd. Ray Synops. Stirp. Britan.

- | | |
|------------------------------|----------------------|
| Fig. 1. Genistella hispanica | 5 Cynosurus coracian |
| 2 Carex dioica | 6 |
| 3 Cyperus sepsilis | 7 Carex punicea |
| 4 Scirpus echinatus | 8 Carex pilulifera |

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

TAB. XCII



1. Gram. dactylon Stylidium, multiplex panicula, spilis ab eodem exortu geminis Ray Hist. an Festuca juncea foliaspica gemina C.B.P.
 2. Gram. amoris alterum panicula strigosioribus magis sparsis Ray Cat. Exter. in Historia autem opuscula est
 3. Gram. American. spica echinata majoribus locustis Schol. Bolani, fortissimi Gram. aculeatum Curasadium P. B. P. seminibus a D. Sherd. d.
 4. Gram. Alopecuroides Indicum minus spica sericea candida laxiori.
 5. Gram. Indicum Alopecuroid. holosericeum majus spica longa pappaceo. an Gram. Alopecuroides Curasawis. spica longissima sericea candida P. B. P.
 6. Gram. Miliaceum Americanum minus panicula parva.
 7. Gram. Miliaceum American. maximum panicula minor.
 8. Gram. Miliaceum Americanum medium panicula magis sparsa & spensia.
 9. Gram. junceum elatius, pericarpio ovatis Americanum.

- | | |
|-----------------------|-----------------------|
| 1 Andropogon hirtum. | 6 Panicum tenuissimum |
| 2 Cereus echinatus | 7 Panicum latifolium |
| 3 Alopecurus indicus. | 8 |
| | 9 Juncus bulbosus. |

1. Ned
2. Killa
3. Kier
4. Kyp
5. Kyp
6. Kyp
7. Jacea

Fig. 1

2

3

B. XCIII.



Fig. 1.



Fig. 3.



Fig. 2.




Fig. 6.




Fig. 5.



Fig. 4.




Fig. 7.

1. *Nedera Clematidis* Atragones singulari folio, plerumque Virginiana.
 2. *Kelleborine* Virginiana, *Ophioglossi* folio. D. Bonnier. hujus Exemplar pulchre asservatum, nec non picturam propriam manu ad vivum
 appropinquatelineatam. Erubescens Invenit non ita pridem amicis suis in Angliam transmissit.
 3. *Hieracium* folijs intensius laciniatis, profunde scissis, flore luteo. *Chondrilla* lutea I. B. L. 2. *Chondrilla* Coronopifoliae Cyani facie, tenuifolia lutea
 vinea et per Adv. Sonchus levis in plurimas laciniis divisis C. B. Pin. v. Prodr.
 4. *Hypericum* ex orbiculato folio floribus amplis, pallidissimis, petalis florum in ambitu ematis. *Hypericum* Nummularia folio C. B. prod.
 5. *Hypericum* *Erioides* maritimum, folijs cineris, ex Hispania, an *Hypericum* Francorum non scriptum, tenuifolium, Bellus. Ind. Hort. Platan.
 6. *Hypericum* in Hispania D. Turnefort.
 7. *Hypericum* Alpinum, magno flore, nigro punctis insignito Sch. Bol. forte *Ascyron* magno flore C. B. Prodr. Haec res proximè antecedentes, novas, aut
 saltem, minùs cognititas *Hypericorum* species, munere praestanti, sibi viri D. Sherard accepimus.
 8. *Jacea* tenuifolia purpurea capitulo Calistropa in modum aculeato. Capitulis spinosis Jacea Adv. Jacea cum spinosis capitulis, purpurea, tenui.
 folia I. B. L. 3. lib. 25. an. *Stoebe squammosa* asperis C. B. P.

5 *Hypericum circoides*2 *Arcthusa ophioglossoides*3 *Sonchus tenerimus*7 *Hypericum nummularium*

Tab. XCIV.
1. Jacca
2. Jacca
Ho
3. Jacca
Tr
4. Jacca
Ev
Re

Fig 1

TAB. XCIV.




Fig. 1.

Fig. 2.

Fig. 3.

Fig. 4.




TAB. XCIV.
 1. *Jacea marina* Boetica Park. an *Jacea purpur. maritima* capitulo spinoso Neopolitana Ray Cat. Exter.
 2. *Jacea peregrina* Napifolia hirsuta capitulis alata. 2 seminibus a D. Sherard. cum ab Exteris in Angliam rediret, secum allatit ab ipso communicatis, in Hortis quibusdam Curiosorum, apud Nestrater. nota est, v. nuper in iis suscevit in Hort. Acad. Oxon. sub auspicijs D. Bobart. qui hujus specimen nobile exsiccatum nobis amicitia sua transmisit.
 3. *Jacea fruticans* Pini folio C. B. P. Stoebe capitata Rosmarina folio Pona, s. *Chamaepitys fruticosa* Cretica Belli. J. B. L. 3. Stoebe fruticosa angustifolia Cretica Park. an *Chamaepitys* Pr. Alpina. ex Ol. 77. Illustrioris hujus Plantae nobile specimen a Reverendis. D. Wheeler. ad aedificationem impetravit.
 4. *Saminum dulce* American. aliter *Evonymus affinis* Orientalis, alibi *Rosa foliis* nuncifera Cortis adgenicula fungosa Guaiacum American. alterum fructus *Evonymi Breyne* Prod. 1. Guaiacum folijs lentis in Horto Fagehiano. ejusd. Breyne. Prodr. 2. Packhout Belgarum sub *Yasmini* titulo. in Hort. Reg. Hamptoniens. primum nobis innotuit. a. fructum oclusum, quatuor obtusis angulis constantem, ostendit.

Fig. 1
 2 *Centaurea napifolia*
 3 *Serratula Chamaepitys*
 4. *Guajacum sanctum*

Table
1. Jace
2. Jace
3. Jace
4. Jace
5. Jace
6. Jace
7. Jace
8. Jace
9. Jace
10. Jace

Page 10

TAB. XCIV.



TAB. XCIV.
 1. *Jacea marina* Boetica Park. an *Jacea purpur* maritima capitulo spinoso Neopohitana Ray Cat. Exter.
 2. *Jacea peregrina* Napi folia hirsuta capitulis alatis 2 seminibus a D. Sherard. cum ab Exteris in Angliam rediret secum allatis, ab ipso communicatis, in Hortis quibusdam Curiosorum, apud Nostrates notata est, ut super vides in Hort. Acad. Oxon. sub auspicijs Dⁿⁱ Bobart. qui hujus speciem nidi exsiccatum nobis amicitissime transmisit.
 3. *Jacea fruticosa* Pini Johs C. B. P. Stoebe capitata Rosmarina folio Pons. s. Chamæpitys fruticosa Cretica Belli. I. B. 1. 3. Stoebe fruticosa angustifolia, Cretica Park. an Chamæpitys Pr. Alpin. ex ol. 77. Illustrioris hujus Plantae nobilis specimen a Reverendis. Dⁿⁱ Wheeler. a desculpna. impetravit.
 4. *Guajacum* vulgo American. at vultus Evonymo adfuit Occidentalis, alibi Rusci folijs nuxifragilis ad genicula fungosa. Guaiacum American. altum fructu Evonymi Breyn. Prod. 1. Guaiacum folijs Lentis in Horto Fageliano. ejusd Breyn. Prod. 2. Packhout Belgarum sub Jasmini titulo. in Hort. Reg. Hamptoniens. primum nobis innotuit. a fructum oculos qualiter obtusis angulis constantem ostendit.

Fig. 1

3 *Serratula Chamæpseuae*

2 *Centaurea napifolia*

4 *Guajacum sanctum*

PLATE I






Fig.

Kv.
aur
super
fol
lac
mari
Poli
Paka
Limon
Pau

1
2
3
4



AB. XCV.
1. *Cistrium laurifolium*, L. Her. Bor. Hort. 5. *Paullinia asiatica*.
2. *Adonis vesicatoria* L. suppl. 6
3. *...*
4. *Trianthema Portulacastrum*
5. *...*
6. *...*
7. *Acrostichum pectinatum*



TAB. XCVI.







Fig. 1. *Laserpitium peucedanoides* 5. *Poralea corylifolia*
 2. *Ligusticum scoticum* 6
 3. 7. *Tabernaemontana parviflora*






1. *Lycium minus*, cordatis Buxi folijs, Maderaspatanum, forte Lycium Hispanis, folijs Buxi C. B. P. Tamaio, Lycium verum Fragos, an Lycium Buxi folijs agur
 horibus, Syriacum, Byenn. Prodr. 2. *Lycium* Dioscoridis, Hadhad Arabibus, & Laroa incolis Montis Libani. R. & Wolfy. Itiner. ar.
 3. *Lycium* Maderaspatanum, Indici Alpino putati, amulum, bijugis, & grandioribus aculeis horridum.
 4. *Lycium* Bisnagarium, acuminatis, minus duriorib. folijs, & aculeis ex opposito binis. Tjerou-Kara Hort. Malab. simile, si non idem.
 5. *Lycium* puberulum Indici Orient. Capparis rotundiorib. folijs, & aculeis ex adpresso gemellis.
 6. *Lycium* Beloxylon, bini aculeis in ramulorum fastigijs, Americanum. ex hujus ligno sagittas, & fructibus Atramentum conficiunt Indigenae.
 7. *Dactyloctenium* Ait. Ke-berri à Nostratis nuncupatur à D. Sherard. specum ex adpresso pendulum datum est.
 8. *Lycium* majus Americanum, fascim. flore, folijs subrotundis luscis. *Fasminum* spinosum Americanum folio lucido subrotundo. P. B. P.
 9. *Lycium* Myrti folijs subrotundis, Americanum ladescent, limbis foliorum argenteis.
 10. *Lycium* (forte) non spinosum, et alius incanis folijs P. B. P. rectius autem, *Cerasus* Sebertena domestica folijs aliquatenus accedens Prom. Bon. Spet.
 Capsi Cariboom bulgò Belgarum.
 11. *Lycium*, aut potius *Alcornoque* cognata dispersos; s. *Chamaejasme* tetrapetaloides inodora, quadrato caule Virginiana.

1 *Randia aculeata*
 2 *Prickly pear*
 3
 4
 5
 6 *Randia aculeata*
 7
 8 *Lycium capense* & *Randia*
 9 *Houstonia carulea*.



TAB. XCVIII.




1. *Lychnidea umbellifera* Blattariae accedens Virginiana major, repens Pseudo-melanthii foliis pilosis, flore albo, pentapetaloides, fistuloso.
 2. *Lychnidea Blattariae accedens* Virginiana minor, repens, hirsutis Camphoratae foliis, floribus fistulosis, in Umbellam positus.
 3. *Lychnidea Blattariae accedens* Virginiana Camphoratae congeneris glabris foliis, flore adsummitatem ramulorum singulari.
 4. *Lychnidea purpurea* affinis Americana procurrere Anonidis vernae frutescentis folio singulari glabro, bracteis affinis frutescentis Americanae foliis Agerath.
 5. *Lychnidea erecta* majoris Breyn. Prodr. 2. hanc plantam Caprae apud Belgas Curas adiensis pro pabulo avidè pascunt inde Caprae a Curasensis, ab illis vulgo P. B. P. quam D. Wheeler, spontè natam in Grecia Observavit, ubi Cuiusmodi à Turcis nuncupatur. Florem habet nives coloris, pentapetala.
 6. *Lychnidea purpurea* affinis, frutescentis Anonidis singulari hirsuto folio Maderaspensis.
 7. *Malus Grignata* Zeylanica aculeata, Grignata Malus Zeylanica spinosa P. B. P. in Rabu-nagaram H. M. par. 1. 4. in Horto Reg. Hampton. collegim.
 8. *Melilotus indica* Orient. minima dispersos folliculos in summitate aduncis, an *Melilotus minima*, Syriaca Nephel. 3. Nephel. Bombailhar, & Malafesa Breyn. Prodr. 2.
 9. *Muscus polytrichoides* pellucidus fere, foliis denticulatis, ad margines doli crispis noster Ray. Synops. Stirp. Britan. append. an *Polytrichum aurum medium* ejusd Ray. Hist.
 9. *Muscus denticulatus* minor C. B. P. Park. *Muscus terrestris* Lusitanicus I. B. 1. 3.

- Fig. 1 *Phlox pilosa* 6
- 2 — *subulata* 7
- 3 — *setacea* 8 *Mnium serpyllifolium cuspi-*
- 4 *Caprarium biflora* 9 *datum.*
- 5



TAB. XCIX.




Marrubium aquaticum. fol. integris longis per angustis Maderaspatanum. an Marrubium palustre canadense tenuius glabrum Sch. Bot.
 Melampyrum cristatum I. B. L. g. an Melampyrum luteum angustifol. C. B. P. Park. quæritur ipse Cl. R. d. f. e.
 Melampyrum affinis tetraphylla angelica, floribus inter folia sparsis. an Adela Odagam H. M. part. g. hujus semen mellei coloris lucidum singulare nudum gran-
 briqueti æmulum insidet super basi foliorum cristarum duplici serie pinas membranulas rigidior ex altera alteri longiorum circum ambientium constructa
 Mercurialis tricoceos hermaphroditiæ s. ad foliorum juncturas ex foliolis cristatis julifera simul fructum ferens Banist. Cat. Stirp. Virg. a
 Mercurialis L. L. tricoceos cum ore foliis Cat. H. Ac. Lugd. append. plurimum differt, ut ex utriusque pictura cuiusvis pateat.
 Mespilus Virginiana spinis longioribus rectis foliis quodammodo auriculatis.
 Millefolium palustre galeculatum minus. Reverend. Vir & amicus noster singularis D. Dodsworth. in agro Eboracensis sponte natum invenit. &
 jam pridem nobis benigne communicavit.

1. *Phlomis obliqua*4. *Acalypha virginica*2. *Melampyrum cristatum*5. *Crataegus coccifolia*3. *Acanthus maderaspatanus*6. *Utricularia minor*

3

4. May
5. May
6. May
7. May
8. May
9. May
10. May
11. May
12. May
13. May
14. May
15. May
16. May
17. May
18. May
19. May
20. May
21. May
22. May
23. May
24. May
25. May
26. May
27. May
28. May
29. May
30. May
31. May
1. June
2. June
3. June
4. June
5. June
6. June
7. June
8. June
9. June
10. June
11. June
12. June
13. June
14. June
15. June
16. June
17. June
18. June
19. June
20. June
21. June
22. June
23. June
24. June
25. June
26. June
27. June
28. June
29. June
30. June
1. July
2. July
3. July
4. July
5. July
6. July
7. July
8. July
9. July
10. July
11. July
12. July
13. July
14. July
15. July
16. July
17. July
18. July
19. July
20. July
21. July
22. July
23. July
24. July
25. July
26. July
27. July
28. July
29. July
30. July
31. July
1. Aug
2. Aug
3. Aug
4. Aug
5. Aug
6. Aug
7. Aug
8. Aug
9. Aug
10. Aug
11. Aug
12. Aug
13. Aug
14. Aug
15. Aug
16. Aug
17. Aug
18. Aug
19. Aug
20. Aug
21. Aug
22. Aug
23. Aug
24. Aug
25. Aug
26. Aug
27. Aug
28. Aug
29. Aug
30. Aug
31. Aug
1. Sept
2. Sept
3. Sept
4. Sept
5. Sept
6. Sept
7. Sept
8. Sept
9. Sept
10. Sept
11. Sept
12. Sept
13. Sept
14. Sept
15. Sept
16. Sept
17. Sept
18. Sept
19. Sept
20. Sept
21. Sept
22. Sept
23. Sept
24. Sept
25. Sept
26. Sept
27. Sept
28. Sept
29. Sept
30. Sept
31. Sept
1. Oct
2. Oct
3. Oct
4. Oct
5. Oct
6. Oct
7. Oct
8. Oct
9. Oct
10. Oct
11. Oct
12. Oct
13. Oct
14. Oct
15. Oct
16. Oct
17. Oct
18. Oct
19. Oct
20. Oct
21. Oct
22. Oct
23. Oct
24. Oct
25. Oct
26. Oct
27. Oct
28. Oct
29. Oct
30. Oct
31. Oct
1. Nov
2. Nov
3. Nov
4. Nov
5. Nov
6. Nov
7. Nov
8. Nov
9. Nov
10. Nov
11. Nov
12. Nov
13. Nov
14. Nov
15. Nov
16. Nov
17. Nov
18. Nov
19. Nov
20. Nov
21. Nov
22. Nov
23. Nov
24. Nov
25. Nov
26. Nov
27. Nov
28. Nov
29. Nov
30. Nov
1. Dec
2. Dec
3. Dec
4. Dec
5. Dec
6. Dec
7. Dec
8. Dec
9. Dec
10. Dec
11. Dec
12. Dec
13. Dec
14. Dec
15. Dec
16. Dec
17. Dec
18. Dec
19. Dec
20. Dec
21. Dec
22. Dec
23. Dec
24. Dec
25. Dec
26. Dec
27. Dec
28. Dec
29. Dec
30. Dec
31. Dec



1. *Mespilus Virginiana* *Grossularia* folijs.
 2. *Muscus rupestris*, repens, Virginianus, clavis foliis, erectis, quadratis Banister. Cat. Mfr.
 3. *Muscus filicinus* elegans, Bon. Sp. Pullurjoory Kottentottorum. ad D. Sherard. accepimus.
 4. *Myrtilus annuus* mine rostrato, striato, aspero, nodosa Morison. Umb. *Myrrhis sylvestr.* *Cretic.* nodosa seminibus asperis Ray. Hist. Sefti. Cretense, nodosum. Park. *Charophyllum* alterum, gemculis humenibus. Cat. H. R. P.
 5. *Myrrhis perennis* lutea *Daucoides* Moris. Umb. & Prædud.
 6. *Myrrhis Brabantica* affinis *Americana* foliorum lacinijis *Asplenij* modo divisis, julis a simula fructum ferens, forte *Canambaya* Brasiliensib. *Maregravia*, fortè *Stia*, *Cardia* Mulleriana Indica. Bod. & Stap. in Theophr. 320. hujus semina singularia, capsulis bivalvib; extra globum echinatum emergentibus continentur.
 7. Eadem, cum ramulo conis, s. musamentis, onusto.

Fig. 1. *Mespilus flava*
 2. *Lycopodium rupestre*
 3. *circinale*


5. *Charophyllum coloratum*
 6. *Liquidambar asplenifolium*
 7. Idem

2

Fig

1. Musc
2. Harde
3. Nasu
4. Nasu
5. Nasu
6. Nasu
7. Nasu

Frig



1. *Muscus palustris* in *Ericetis* nasrens floridus, noster Ray Synops. App. et minus incaute floridum pronunciamus; capitula quidem hujus pediculis innixa, versus articulum apices, operculis eorum jam delapsis, flosculos tam pulchre gemulantur, ut primo intuitu nobis imponeret, ex quo demum agnosco, nihil aliud esse quam *Muscus palustris* terris similis Ray Hist. Pl.
 2. *Nardus americana* procerior folijs cæcis, hujus proximo cognatus *Terpestis* de *Trapa* hujus Nov. Hæp. Ant. Recch. p. 412.
 3. *Nasturtium petraeum* Cambræ britannicum Joh. de Mærc. Bot. part. alt. Passim in excelsis rupibus Arvo hujus v. Nervinæ. g. Moelyn rhodjuxta Phetinoz y Clovyn, du y Ardhv, Clovyn y Ganneth prope Lhandbryz invenit Plantarum Britannicarum sagaci sumus Investigator D. Lloyd.
 4. *Nasturtium* *Purpurea* pastoris folijs Vir ginianum flore albo, siliqua compressa in Hort. de Ellebano D. Doody primo Observavit.
 5. *Nasturtium* African. floribus albis spicatis, et folijs ternis Christophoriana facie B. P. in Hort. Reg. Hamptonicæ collectum.
 6. *M. s. And.* sylvestre *Cynanchica* folijs Bis nagarium. an Mannet Hort. Malab. P. 9. quam *And.* in India hinc etiam fuit Comendinus in Not. sup. loc.
 7. *And.* s. *Lingim*, u. *Linseng* Radice geminata India Orientalis, apud Misserl Curios. Ephem. Germanderur. 2. Ann. 62. p. 73. sub hujus titulo plurimæ species videtur, inter quas *Ginseng* Cleyeri Japoniensis Terra alumnæ hinc nostræ quam maxime accedit. Quam Niz in Bontij ab hac planta plurimum differt hujus radicem munere Amicissimi Viri D. Gedley accepim; frondium effigiem ope favore Cl. Viri D. Tancardi Robinson.

- | | | | |
|--------|-------------------------------|---|---------------------------|
| Fig. 1 | <i>Sphagnum palustre</i> | 5 | <i>Cardamine africana</i> |
| 2 | <i>Caualia atriplicifolia</i> | 6 | |
| 3 | <i>Cardamine petraea</i> | 7 | |
| 4 | <i>virginica</i> | | |




Fig. 1

2
 3
 4
 5
 6
 7
 8
 9
 10
 11
 12
 13
 14
 15
 16
 17
 18
 19
 20
 21
 22
 23
 24
 25
 26
 27
 28
 29
 30
 31
 32
 33
 34
 35
 36
 37
 38
 39
 40
 41
 42
 43
 44
 45
 46
 47
 48
 49
 50
 51
 52
 53
 54
 55
 56
 57
 58
 59
 60
 61
 62
 63
 64
 65
 66
 67
 68
 69
 70
 71
 72
 73
 74
 75
 76
 77
 78
 79
 80
 81
 82
 83
 84
 85
 86
 87
 88
 89
 90
 91
 92
 93
 94
 95
 96
 97
 98
 99
 100
 101
 102
 103
 104
 105
 106
 107
 108
 109
 110
 111
 112
 113
 114
 115
 116
 117
 118
 119
 120
 121
 122
 123
 124
 125
 126
 127
 128
 129
 130
 131
 132
 133
 134
 135
 136
 137
 138
 139
 140
 141
 142
 143
 144
 145
 146
 147
 148
 149
 150
 151
 152
 153
 154
 155
 156
 157
 158
 159
 160
 161
 162
 163
 164
 165
 166
 167
 168
 169
 170
 171
 172
 173
 174
 175
 176
 177
 178
 179
 180
 181
 182
 183
 184
 185
 186
 187
 188
 189
 190
 191
 192
 193
 194
 195
 196
 197
 198
 199
 200
 201
 202
 203
 204
 205
 206
 207
 208
 209
 210
 211
 212
 213
 214
 215
 216
 217
 218
 219
 220
 221
 222
 223
 224
 225
 226
 227
 228
 229
 230
 231
 232
 233
 234
 235
 236
 237
 238
 239
 240
 241
 242
 243
 244
 245
 246
 247
 248
 249
 250
 251
 252
 253
 254
 255
 256
 257
 258
 259
 260
 261
 262
 263
 264
 265
 266
 267
 268
 269
 270
 271
 272
 273
 274
 275
 276
 277
 278
 279
 280
 281
 282
 283
 284
 285
 286
 287
 288
 289
 290
 291
 292
 293
 294
 295
 296
 297
 298
 299
 300
 301
 302
 303
 304
 305
 306
 307
 308
 309
 310
 311
 312
 313
 314
 315
 316
 317
 318
 319
 320
 321
 322
 323
 324
 325
 326
 327
 328
 329
 330
 331
 332
 333
 334
 335
 336
 337
 338
 339
 340
 341
 342
 343
 344
 345
 346
 347
 348
 349
 350
 351
 352
 353
 354
 355
 356
 357
 358
 359
 360
 361
 362
 363
 364
 365
 366
 367
 368
 369
 370
 371
 372
 373
 374
 375
 376
 377
 378
 379
 380
 381
 382
 383
 384
 385
 386
 387
 388
 389
 390
 391
 392
 393
 394
 395
 396
 397
 398
 399
 400
 401
 402
 403
 404
 405
 406
 407
 408
 409
 410
 411
 412
 413
 414
 415
 416
 417
 418
 419
 420
 421
 422
 423
 424
 425
 426
 427
 428
 429
 430
 431
 432
 433
 434
 435
 436
 437
 438
 439
 440
 441
 442
 443
 444
 445
 446
 447
 448
 449
 450
 451
 452
 453
 454
 455
 456
 457
 458
 459
 460
 461
 462
 463
 464
 465
 466
 467
 468
 469
 470
 471
 472
 473
 474
 475
 476
 477
 478
 479
 480
 481
 482
 483
 484
 485
 486
 487
 488
 489
 490
 491
 492
 493
 494
 495
 496
 497
 498
 499
 500
 501
 502
 503
 504
 505
 506
 507
 508
 509
 510
 511
 512
 513
 514
 515
 516
 517
 518
 519
 520
 521
 522
 523
 524
 525
 526

Fig.





Fig. 1. *Hedy sarum diphyllum*. hujus herba humanis. aqua et Clariss. Viri Dr. Frederici Stare favori dehemus.
 Fig. 2. *Claytonia virginica*. perenne silqua glabra, st. albo Sch. Bot. Onobrych. Clupentalensis C. B. P. in Prod. ad. Sheard. habuimus.
 Fig. 3. *Claytonia virginica*. flore purpureo pentapetalo de Bänist. Cat. Mss. a. capitulum bulbillis, ut in Allio corvino conflatis. Trifolium acetosissimum, radice
 Fig. 4. *Oxalis violacea*. flore purpureo pentapetalo de Bänist. Cat. Mss. a. capitulum bulbillis, ut in Allio corvino conflatis. Trifolium acetosissimum, radice
 Fig. 5. *Bartsia coccinea*. flore purpureo pentapetalo de Bänist. Cat. Mss. a. capitulum bulbillis, ut in Allio corvino conflatis. Trifolium acetosissimum, radice
 Fig. 6. *Dolichos nitida*. flore purpureo pentapetalo de Bänist. Cat. Mss. a. capitulum bulbillis, ut in Allio corvino conflatis. Trifolium acetosissimum, radice
 Fig. 7. *Zennerholia pubescens*. flore purpureo pentapetalo de Bänist. Cat. Mss. a. capitulum bulbillis, ut in Allio corvino conflatis. Trifolium acetosissimum, radice

1. *Hedy sarum diphyllum*
 2. *Claytonia virginica*
 3. *Oxalis violacea*
 4. *Bartsia coccinea*
 5. *Dolichos nitida*
 6. *Zennerholia pubescens*
 7. *Claytonia virginica*






Fig. 1.

Fig. 5.

Fig. 2.

Fig. 3.

Fig. 4.

Fig. 6.

Palma Huguieri Park. Theatr. Palm. facie Hajri I B. 1. 1. Palma American. spinosa C. B. P. Palma Brasiliensis vi. 1. Ayri Pison. p. 129. Palmiste epineus Rochforty
 p. 60. forte Macoro Arbor Barbadijurni Ligonis. hujus Arboris lignum marmoris nigro simile, ferri modo in aqua fundum petit exinde Ebonis speciem esse
 quidam autumant. plurimas haec ex Insula Jamaicensi allatas in Horto Comptoniano aliquando conspeximus.
 Palma American. folijs Polygonati brevioribus, leviter serratis, & nonnihil spinosis, truncis crasso Breyn. Prodr. Palma Americana non spinosa, crassius
 rigidiusq. folijs caudicis scabro in caput protuberante P. B. P. in Horto. Reg. Hampton. bidim; & collegim;
 Peridymnoides acedens Arbutuscula Virginiana siliquosa.
 Pimpinella Sanguisorbarum p. str. minima, & radice magna. hujus folia Pimpinellae foliolis haud majora, a Cl. D. Turnefortio in Hispan. collecta sunt,
 & a D. Sherar & amicis mihi n. nobis communicata est.
 Plantago Coronopus dicta maritima, brevis, latoq. & dentato folio pilosa. Coronopus Masiliensis hirsutior latifolius Sch. Bot. Coronopus folijs acutis in margine
 dentatis Ray Hist. Pl. Plantagini affinis Pimpinella, Siciliae herbuli I B. 1. 3. Coronopus maritimus Prochylus Insulae Col. cephe. 258. non autem est
 Coronopus maritima nostras, nec in multum similis ut Rerum omnium Naturalium. Vir peritissim; & Botanices Scientia summus Arbiter &
 Praxidum singulare, D. Joh. Ray recte pronunciat. Cat. Exterar. quarumvis Capp. Bauhin; eandem faciat Plantago Apula bulbosa Park.
 Plantago Apula laciniata bulbosa Fab. Columna. Plantago pilosa bulbosa C. B. P. hujus nostrae per similes est, forte eadem.
 Polygonum Germanicum caule, folioso, rosulatis summitate. an Polygonum angustifolius, & aulo vel gramineo folio montanum Sch. Bot. forte Polygonum angustifolium folio
 affinis C. B. P. g. Kermoreoidalis quae ad Caryophylloides sylvestrium classem referri debere Clusius putavit. Hist. app. altera. dd. lib. 6. forte etiam
 Polygonum Polonicum coarctatum I B. 1. 3.

Fig. 1 Cocos guineensis

4

2 Zamia pumila

5 Plantago serrana


3 Anchona caribaea

6

64

852

7
6
5
4
3
2
1




Tab. CIV.


1. *Pasiflora Vesicaria* hederacea, folijs lanuginosis, odore tetra, filamentis florum ex albo & purpureo variegatis. *Hedera Murutuice* species *Vesicaria* lanuginosa, odoris gravis *Maregr.* 73. *Flos Pasionis* Curasavicus, *Hederae* hirsuto folio, flore purpureo variegato P. B. 1.
 2. *Periclymenum* herbaceum rectum *Virginianum*. D. Tinkersweet. ibi vulgò vocatum hujus generis esse videtur illa *Periclymeni* species scandens, & corticibus Arborum radices emittens, *Itti-Canni Hort. Malab. dicta.* part. 7.
 3. *Phaseolo* affinis *Arbor Indica Coral* dicta polyphyllis, non spinosa, folijs mollioribus subhirsutis.
 4. *Piperi* longo similis *Pistolochee* folijs absque pediculis *Maderaspatana*. *Taborandi* 4. ^a *Pisonis* huic multum convenire videtur *Hist* Brasil. p. 216.

Fig. 1 *Pasiflora foetida*

3

2 *Triosteum angustifolium*4 *Piper longum*





Cv.
 Phaeolus unifolius Occidentalis Asiaticus foliis dispersis Orobanchaceae Americanus Asari folio singulari P. B. Pin Hort. Regio. Hampton. nutritum observavimus.
 Phaeolus unifolius Orientalis summo folio sinuato monospermus. an Phaeolus mihimius perennis Americanus floribus Meliloti; folijs Asiaticis
 Phaeolus unifolius Solitarius Bryon. Prodr. 2.
 Phyllis parva Saxatilis Virginiana per summitates foliorum radiosa Banist. Cat. Stip. Virg. Herba dorpia. hujus folium Phyllidis ramosa
 Alpini folium partitulae figurae amplexat. huius foronista proxima parvula, alterius, ramificationis defestum alteri per adms.
 vabilm Propogandi modum ubi ferè perculip em pappi foliolis angustis Naturd.
 Portulaca Curatavica lanuginosa Kotschy tritor. y clatior floribunda P. B. Portulaca Americ. recta lanuginosa folijs Psyllij, florib; in caubum summo
 rubro, obscuris majorib; Bryon. Prodr. 2.
 Portulaca lanuginosa protumida Virginitate folijs Americana. Portulaca Americana procumbens Seditaefolij folijs, v facie floribus in ramosum
 summo pulchre purpurascens B. Prodr. 2. Baldriga fort. Lusitanis. s. Caaponga Brasiliana? Pisonis 2. 4.
 Portulaca officinalis Americana, tricapularis et cetera flore albo, pediculis angustis. Portulac. Americ. g. Curatavica. latifol. erect. florib; albis P. B. P.
 ex hujus capsula tripartito divisa semina per maturitatem impetula silium. hactenus novissime enumeratas plantas in Horto. Regio.
 Hampton. oculis nostris summa Voluptate haurimus oblique legimus.

4 Portulaca pilosa

5 Idem.

6

2 Adysanum serotinum L.

3 Asplenium rhizophyllum

...-So
 ...sum
 ...cula
 ...cula
 ...cula
 ...ment
 ...phy
 ...foli
 ...mus D

19:1

2

3

47

55

10.2.17

10.2.17

10.2.17

10.2.17
1. Pyro
2. Reser
3. Rhan
4. Rhoi
5. u
6. Rian
7. Rian

Fig



1. *Pyrola affinis* Virginiana, repens, fruticosa, folijs rigidis Scabritie asperatis, flore pentapetaloide fistuloso. *Pyrola repens* folijs
 scabris, flore pentapetaloide fistuloso. Banister.
 2. *Reseda Linariae* folio *Pyramis* glauco folio Sch. Bot. an *Reseda Linariae* folio C. B. P. item *Reseda alba minor* ejusd. C. B. P.
 3. *Rhamnus Maderaspata* folijs *Economi* pallentibus, folijs, spinis brevibus duplicatis.
 4. *Rhizophora* similis *Fraxinea* des. leptophyllos, Americana, spinosa, rachi medio appendicibus aucto. an *Coriaria Arbor spinosa* Acaciae
 folijs & facie P. B. P. inter Addend. forte *Quauhiteopalli* Pitzahuac. Copallifera leptophylla alia Hernand. p. 49. Fingreggo.
 5. *Sabina arbor* (ig) *Savin Tree* Barbadosensib; nostratibus dicta.
 6. *Rhamnus parvus* urens, folijs *Quercinis* Virginianis Banist. Cat. Stirp. Virg. an *Quercinis* folijs *Arbuscula spinosa* lactescens Porto ricensis P. B. P.
 7. *Rhamnus fructu parvo*, fruticosa, Curasavica folio Phylli. P. B. P.


Fig. 1 *Epigaea repens*

4 *Tagara Tragoides*

2 *Reseda glauca*

5 *Tragia urens*

B. 3. 1.



1. Rhamnus Maderaspatanus Hyperici fruticantis folia spinis brevibus duplicatis.
 2. Rhamnus anapellus Linn. Fingreg. faracensis foliis dictum. forte Katu-Karu. Wall. H. M. spinarum autem positio huius parum congruit.
 3. Rhamnus Maderaspatanus quindus foliis durioribus. foliis in margine spinosis humanitatem facere Dr. Fr. Slave Obtinuit.
 4. Rubus foliis eleganter dissectis D. Edg. in Hort. Reg. Paris. collegit D. Sherard & nobis commendavit.
 5. Saniacula Alpina angustissima folio flore carneo. Sedum Alpin. alterum Fr. Anse. Gregory. Regiensis. Cappuccini. Fab. Column. ceph. p. 2. Sedum
 6. Saniacula Alpina angustissima brevioribus foliis per intervalla confertis. Sedum Alpin. primum Column. ceph. p. 2. Sedum Alp. exiguis folijs
 C. B. P. an Sedum Alpinum minimum carneo flore. Sch. Bol.
 7. Sclerosa capitulo. Chrysanthemi Myconi folijs. alato caule Maderaspatanensis.

5 Androsace carnea

6 Aretia vitaliana

7 Spharanthus africanus

2 Pisonia aculeata

3 Croton spinosum

4

88

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 58TH STREET
CHICAGO, ILL. 60637
U.S.A.




Fig. 4




Fig. 1.




Fig. 2.




Fig. 3.

Scabiosa Conyzoid Americana capitulis floribus albidis parvis P. B. P.

Schottii alburn, s. *fasminum Indicum* Laurifol. in dorum umbellatum floribus albis antibus P. B. P. Bern-Schott. Hort. Malab. P. 2.

Serratula Noviboracensis maxima folijs Doris leviter serratis P. B. P. inter Addend. *Serratula Virginian* min. angustif. mollis Breyer. Prod. 2. fort. Atzoyatl Cortic Yni-

Roderiyo Nov. Hisp. R. ach. 355 huius congener at Tlalli-yatl Nov. Hisp. ejusd. pag. 423.

Sesamum alterum folijs trifidis Orientalis sordine obscuro. an Car-Elu Hort. Mal. P. 9. *Bidjani Hitem* s. *Bidjani nigrum* Malaccensis *Sesamum Indicum*.

folio amplo serrato, flore majore, semine nigricante Comelin. Annot. in Hort. Malab.




1. *Eclipta erecta*

3. *Serratula noviboracensis*

2. *Thora alba*

4. *Sesamum indicum*

Scutell
Scutell
An
Smilax
Smilax
na M
Smilax
Chin
-can
habit
viz h
-ax
-am
-po.




Scutellaria Teucrij facie purpurea minor, flore amplissimo. *Teucrium Astragaloides* Cassida minor Cat. H. R. P. 173.
Scutellaria major, *Nepeta folijs Virginiana*, an *Scutellaria aquatic*, major Americ. Cat. H. Ac. Lugd. forte *Tochonochill*. Nov. Hisp.
 Ant. Recch. 431.
Smilax Vitae aspera folijs longis, angustis, mucronatis laevib; auriculis ad basim rotundioribus.
Smilax Vitae aspera Virginiana, folijs angustis, laevibus nullis auriculis praedita hujus radice gemculata crassa & intorta, inde suspicatur *China*
 Mexicana speciem esse, & forte *Oleatitan* Hernand. p. 212. & *Joapetanga altera* Aiton. forte etiam *Radix China* Acost. Hist. Lugd. app. 10.
Smilax Virginiana spiritus in quo cuis armata talis *Canella* folijs radice arundinacea crassa & carnosâ, forte *China spuria* nodosa C. B. P. *Pseudo*
China radice ex *Virginia* Clus. y. exot. *China Michacanensis* Phaco phila Hernand. 213. *Pocayo* Nov. Hisp. Ant. Recch. 398. *Joapet*
Joapetanga Brasilensis; Pison. 258. an *Kari-Vilandi* H. M. P. 7. *Pockhout* Belgis Orientalib; ut ibidem habetur. apud nostrates *Virginiana*
 habitantes, ex hujus *Stipitib;* parantur *Scipiones*, ut nobis affirmavit Amplissimus & Senatoria Dignitate perhonorandus Vir D. Byrd. *Utr*
 haec simul & proxime praecedens *Joapetangarum* species, fructum asinosum ac racematim dependentem in summis caulibus copiose proferat
 aspera *Bermudensis* grandiorib; folijs cordiformibus, radice surculosa, forte *Quauhmetapalli* s. *Zarza* species cuius radice in Hispania
 am & transferri solet a Francisco Ximene narrat *Marcgravius* p. 12. *Quauhmetapalli altera*, *Zarza* 4. Hernand.
 100. forte etiam *Smilax aspera* *Zacynthi* Alpino I. B. l. 2.

5 *Smilax Pseudo China*

6 *Smilax aspera*

1851



1. Smilax folijs latis in margines spinosis Caroliniana Stipitleni quadrato, hanc Generoſiſſimus Dominus Courtene nobis benigniſſime conſeſſit.
2. Smilax vitiſolis aſperis Virginiana folijs hederaceis leni, Zarza nobiliſſima nobis. Merapath. s. Zarza-parilla Fr. Hernand. 2. 88. in Hort. Induracifſimo D. Federici n. m. m. m. s.
3. Smilax Caroliniana, Stipitis quadrato leni folijs anguſtis, aſperis, aurivinctis ad baſim anguloſis, ad illuſius virg. D. Guelpho. Courtene accepimus.
4. Solanum Americanum Strychno dendro alcedens fructu medio (ante maturitatem) quaiſſo. an. Solan. fructus. Brafton. folio Capſici, baccis rubris P. B. P.
5. Solanum Curagoſiſeſicarium Solano Antiquorum ſimile folijs Oſigamiſincanſi P. B. P. folijs Solan. venicarium Surinamense lanuginosum polycaſperm. Prod. 2.
6. Solanum triphyllum flore tripetalo. abro-purpureo, inſoliorum ſine abro-petalo ſeſile. Banſit. Catal. Strep. Virgin. Huius antea ſlorum nobis videtur ſex folioſe ſive petalis conſtare quorum tria ſubjecta tota viridia ſunt, breviora, tria abro ſuperiora, longiora abro-purpurea ſunt quædam modum in Solano triphylllo Cana denſi Cornuto: cui hæc eſt quam proximè cognata.

19. *Smilax bona nox*


4 Solanum diphyllum


2 *Smilax Sarsaparilla*

5 *Physalis peruviana*

3. *Smilax bona nox*

6. *Trillium sessile*.





1. *Seneio American*, altissim. *Blattaria del Hieracii folio* Sch. Bolan. *Seneio Americ. maxim.* *Dipsau. s. Virga Pastoris folio* P. B. P. an *Seneio Cichori*
folio Virginiana flore sulphureo odore Pastinacae Cat. Mss. H. Oxon.
 2. *Solan. Barbadosense* demogum minus tinctorium. Circa folijs mollib. & incanis. forle *Haliotropium Curasavicum* *Scammonij folijs mollib.* subhirsutis.
 P. B. P. *Hebrot opium Americanum* majus folijs Populi nigro glanuginosi flore albo menismo. Breyn. Prodr. 2.
 3. *Spongia fluvialis* anfractuosa per fragilis ramisissima nostras. in la fluidis prope Oxonium in omni D. Sheward & nobis munere donavit.
 4. *Spongia marina* fistulosa maxima muricata an *Spongia ramosa fistulosa*. C. B. P. adit nobis D. Doody.
 5. *Syringa Volubilis Virginiana* Myrti majoris folio, alab. smine, florib. odoratis, luteis. *Gelsemium s. Jasminum luteum odoratum* Ray Hist. Glsemin. s. *Jasmin*
Virginian. straudis & semper vivens Park. Theatr. Pseudo-Apocynum Myrti-folium Virginian. Baob. Cat. Stirp. Virg.
 6. *Tithymalus Curasavicus* Salicis & Atriplicis folijs varijs, caule, viridentib. P. B. P. *Tithymalus Indicus* Salicis & Atriplicis folijs Breyn. Prodr. 2.

Fig. 1. *Seneio hieracifolium*

4 *Spongia aculeata*

2 *Rivina humilis*

5 *Lisianthus sempervirens* Lf.


3 *Spongia fluvialis*

6 *Euphorbia heterophylla*

111

111

TAB. CXIII.




- Tab. CXIII.
 1. *Thymus* *maritimus*; *Carobes* foliis aliquatenus accedens. an *Thymus* *Siculus* polytrichos *Portulacaefolius* Boerh. 39. *Thymus* *baccifer* *Hyacinth* *Ambrosi* *Phyloglog* 532.
 2. *Thymus* *Indicus*; annuus dulcis, floribus albis, cauliculis viridantibus P. B. P.
 3. *Thymus* *Africana* *Linariaefolia*, floribus; albis in extremo caulium odoratis. *Thymus* *linifolia* similis *African* floribus; pallidis odoratis similis P. B. P.
 4. *Trifolium* *stellatum* glabrum *Ger. emac.* *Trifol.* capitulis *Dipsaci* quorundam *Raj.* *Synops.*
 5. *Trifolium* *supinum* cum glomeratis ad caulum nodos orbiculatis floribus; purpurantibus; *Raj.* *Fl. test.* an *Trifol.* parvum rectum flore glomerato cum unguiculis
 I. B. 2. merito autem queratur (in quibus rudibus, noster *Rajus*) cur rectum dicat, cum in *Descriptione* caulium supinum a tribuat.
 6. *Trifolium* *cochleatum* modiolis spinosis *Raj.* *Synops.* *Strep. Britan.*
 7. *Valerianella* *Curaçavica* semine aspero viscoso P. B. P. in *Hort. Reg. Hamptonianis* legimus.
 8. *Trifolium* *siliquosum* *Cato* affinis *Maderaspatur*, siliquis longis, ex adverso binis prorepentibus.


5 *Trifolium glomeratum*2. *Euphorbia thymifolia*6 *Medicago polymorpha*

3.

7 *Boerhaavia scandens*4 *Trifolium maritimum*


8





1. *Veronica* congener. *Maderaspata*, mucronatis foliis, auresa parte lanuginosa, flore parvo purpureo.
 2. *Veronica* adpressifolia, indurata, tenuifolia, floribus 3 calicibus, baccis, sursum caulem ferunt bellat. a. v. papulorum seminalium per Microscopium visum
 exhibet. *Maderaspata* ad *Ornatissimum* virum D. Kileard allat. qui nobis humanissime communicavit.
 3. *Veronica* taxabilis parva caule nudis Ray. Obs. pag. 442. mureve D. Sherard accepimus.
 4. *Diburnum* Americanum non spinosum Melica foliis floribus coccineis P. B. P. Camara a floribus Macegr. p. 5. fort. eadem Camara flor. elato ex. ripa Fluvij St.
 Francis. ejusd. an Camara sub a. Pich. Tab. quicquid. s. Matsumi torridum, v. calidum Harpaga. 2. 115. nostrum flores primum lutei, deinde aurantij,
 tandem mundati, v. ultimi tanquam coccinei, sunt coloris, v. in Flor. Ray. Hamptonianae, cum floribus v. fructu conspicimus.
 5. *Diburnum* Americ. o. de v. folio parva orbiculato, floribus, baccis foliis inter septi. P. B. P. 384.
 6. *Picra* Lathyrus s. Lathyrus Didacoides, v. ciliis rubro, labijs, pedalis v. strum ambrosia ceruleis Moris. Hist. 2. Lathyrus s. Cicerule Mestianensi Ray. Hist.
 7. *Viola* Virginiana tricolor folijs multiplex caliculis aphyllis. Bonist. Cal. Virgin. an Viola Alpina folio in plura apertis dissecta C. B. P. Viola montana laniata
 folio Clus. Hist. Viola montana folio multifido I. B. Hist.
 8. *Virga aurea* flore albo spicata Breyer. Prod. 2. Virga aurea Novboracensis floribus albis, folio Bellidis ramosa Canadensis Cornuti P. B. P.

- 1 *Lantana involucrata*
- 2 *Xnoxia Zeylanica*
- 3 *Rhinanthus indicus*
- 4 *Veronica aphylla*
- 5 *Lantana Camara*
- 6 *Lathyrus Chimeneum*
- 7 *Viola pedata*
- 8 *Solidago bicolor*



Fi
6

FX
2.5
A
C
E
N



1. *Alnus folia Americana serrata florib. pentapetalis albis in spicam dispositis.*
 2. *Equisetum Spica florum, cum in majorem perfectionem devenit.*
 3. *Apocynum Virginianum Asclepiadis folio, erectum, floribus pallide coruleis, radice crassa, foris Moxothayacalli Nov. Hispan. Ant. Rech. 388.*
 4. *Chrysanthemum ex Insulis Charibaeis leucotis, meandris, ysericis folijs argenteis crassis.*
 5. *Euonymus Virginianus Pyracanthae folijs, semper diversis, capsula verrucosum instar asperata rubente.*
 6. *Fruticulus Americanus cordatis folijs pentapetaloides, radice lignosa.*
 7. *Nymphaeae congeneri Anapodophyllum dicta auodens polyphylla. s. Dracontij similis herba Americana pusilla.*

Clethra atrifolia

5. *Euonymus americanus*

Idem

6

Tabernaemontana amsonia

7

Buphthalmum frutescens

611

8221

fig.

Leto
Meli
Thy
Thy
6 Virg
Fun



Thymum magnum Hispanicum Park. Dens. *Leontopodium latifolium* caulescens C. B. P. in Prodr. *Hierac. Pyrenasicum*, *Blattaria folio*, minus hirsutum, Sch. Bot. ubi pro nōdum descripto ponitur.
Ceto affinis hirsuta flore subrubente C. B. P. *Anthyllus leguminosus* purpurascens flore Clus. Hist. *Ceto affinis* hirsuta herba flore suave rubente. Moris. Hist. 2.
Methonica Malabarorum, *Menghala Zeylanicum* Mus. Zeyl. Cal. H. Ac. Lugd. app. *Mondoni Hort. Malab.* *Lilium Zeylanicum*, *Superbum* vulgò
Thymum capitatus e *Ceto* p. a. foliis minoribus confertis, an *Thymum capitatus* minoribus *Malsiologicus* Cal. H. R. P. a. D. Wheeler habuit.
Thymum majus longifolium, *Stachadus foliaceo* capite purpureo ascenti pilosum, fortè *Thymum capitatus* folia hirsuta magno capite purpureo ascenti D. Turnefort. idem
quod apud *Collettianus* *Rovierum* quas Cl. Turnefortus ad D. Sherard de *Lusitania* transmissit sub hoc titulo aliquando *Conspeximus*.
Virga aurea Americana *Terracorus* fœdus sapore, particula speciosa fœmâ, fortè *Talchichino* a *Patlalool* Mexicentis, s. *Herba usta*, 3. *Hernand.* an *Oloxiu* t. ejusd.
Hernand. d. Hist. Mexic. de hujus sil. generis determinare non audeo.
Fungus Virginianus ex *Storcor* & *Equino* capillaceus, canus, capitulo rotundo nigro punctulo in summitate notato *Banister.* Cal. *Shirp.* Virg. Mss.

- | | |
|-------------------------------|-----------------------------|
| 1 <i>Oregia sibirica</i> | 5 <i>Thymus spicatus</i> L. |
| 2 <i>Anthyllus montanus</i> | 6 <i>Solidago odora</i> Mf. |
| 3 <i>Anthyllus vulneraria</i> | 7 |
| 4 <i>Thymus superba</i> | |


B¹ L

ALTERA APPENDIX

ad Rariorum Plantarum Icones Qua

*Stirpes quasdam exoticas proponere nos placuit, quarum
Exemplaria ex India Orientali humanissimus vir ac Chi-
rurgus peritissimus D. Richard, Sambach misit amico suo
D. Iacobo Pettever Pharmacopæo, & apud Londinates Botanico-
meritissimo: à quo demum ad delineandas cereisq; typis
exprimendas accepimus: Istis itaq; duobis cordatis viris
grates agere de his debent qui studium
Botanicum colunt*

Jos: Banks




Mesembryanthemum africanum frutescens floribus albis parvis umbellatis. an *Mesembryanthemum* Afric. frutescens minus triangularibus folijs viridib; cornuum
laurinum in modum reflexis, fructu turbinato, parvo, pentagono, lignoscente Breyer. Prodr. 2.
solis lusitanicus maximus folijs ellipticis minoribus D. Mart. in Epist. Dedicat. ad Virid. Lugd. mun. & D. Courtesie accepimus.
pentaria repens florib; Stamens spicatis, Bryonia nigra folio ampliore pingui Virginensis. huc etiam pertinet *Mexasochilus*; *Mexicanis*; *Heraand* 14. 4.
forte diata *Xaxoacalli* Nov. Hesp. Retz. 438
forte spica flosculorum, cum ad justam expletionem assurgant.
forte a Virginiana tripartito Aestris folio, media lacina *belus* abscissa Ray; Hist. Tulipifera arbor Virginiana Cal. H. Ac. Lugd. Populus, aut potius
Alnus tulipifera a cornu erectis. Batis. Cat. Stirp. Virginicis.
Alnus arborum flore albo speciosa Americanorum folijs formâ siliquarum *Nerij*. *Nerij* siliqua effigie, Kaye Bakal B. Hist. Fructus *Nerij* siliqua effigie a C.B.P. per errorem.

- 1 *Mesembryanth. umbellatum* 4 *Laurus cernuus*
- 2 *Drosera lusitanica* 5 *Linodendron tulipifera*
- 3 *Laurus cernuus* 6 *Epidendron nodosum*

BOL

1.
2.
3.
4.
5.
6.

TAB. C XVIII.



- Tab. C XVIII.
 1. *Alisma*, *Spergula* facie *Maderaspatoris*. folijs lateribus semine minutissimo nigro. an *Trompili Huicpatli* Nov. Hisp. Recchij.
 2. *Amaranthus* spica longâ candidissima. Spica folijs *Maderaspatoris*.
 3. *Antirrhino* affinis, pusilla planta, folijs scabris *Maderaspatoris*.
 4. *Cardiacas*. *Leonuros* *Hysopi* hirsutis folijs *Maderasp.* floribus dilute rubris, unico tantum verticillo in ramulorum cymis.
 5. *Chrysanthemum* *Maderaspatorum*, *Menthe* arvens. folio & facie florib; bigonellis, ad foliorum alas, pediculis curvis.
 6. *Tithymalus* botryoides, cordatis folijs, *Indiæ Orientalis*.

Fig. 1. *Mollugo pentaphylla* L. 4 *Phlomis Zeylanica*

2 5 *Eclipta prostrata*


3 6



Gram.
Gram.
Gram. G.
Gram. G.
Gram. G.
Gram. G.
Gram. G.
Gram. G.
Gram. G.
Gram. G.

1
2
3

TAB. CXIX.



Stem geniculatum, prostratum, crispum, spica purpureo-sericea Maderaspatanum.
Gram. Eriophorum Maderaspatanum pluribus spicis ad summum caulis, velut in verticillas positis, folia magna sui parte, culmum cum
bagina complectuntur, reliqua surrigunt breviora, rigidam, marginibus crispam.
Gram. Cyperoid Maderaspatanum, funiculi Genovii capitulis sparsis.
Gram. Machia affinis Satureia folio Maderaspatanum, capsulis in summitate ferè umbellatis.
Gram. Machia cognata Maderaspatanum spinis horrida, an Collette-Ventla, Hort. Malab. P. 9. Eryngia Zeylanicum fibrifugum florib. lotis Herbar. Vivi.
Herem. Lingalensis Kathu Kavalit, fortiter hinc pertinet Babel-Schult Hort. Malab. p. 2. Genista spinosa peiism foliis Comm. el. in Nohy.
Gram. Solanum boreale inaequant monospermis, siliquis, lentis formibus, Maderaspatanum.
Gram. Indicum diphyllum, siliquis ad alas ex uno pediculo binis. Cupa-Vecla forte Hort. Malab. P. 9.

1 *Puccinellia spicata*


5 *Barleria Prionitis*


6

3 *Scirpus dichotomus*

7 *Passiflora pariflorum* L.

Oxypentaria umbellata





1. Mimosa pumila Maderasp. pinnis tenuissimis, ad foliorum eorum terminis spinulis obarmata.
 2. Polygonum Solinoide Maderasp. thymi capitati folijs insanum.
 3. Portulaca affinis Polygonoides, Blit folio & facie Maderasp. patens.
 4. Rhamnus sprada folijs subtus castis Maderasp. patens.
 5. Ruinus Althaeae folio mollior, incano Maderasp. patens.
 6. Ruinus urons lannabini folijs triphyllis & Maderasp. patens. an Ulrica Indica pentaphylla Cassi Mich. Nutt. Catal.
 7. Trifolium Maderasp. patens. caulinis pilosis scandens, Pappi flor. modo trilobatum. an Com. s. Coentis. Mexiensib; Hernand. 252. Apio: American triphyllis Orob.
 8. Viola surrecta Maderasp. patens Lini facie, rotundioribus immis folijs.

5 *Craton pruriens*

6 ——— *urens*

3 *Trianthema pentandra*

4 *Hymenocallis* of B.

7 *Shorea trilobus* Rf

8 *Jonidium polygalifolium* Vent

